

# Illinois

	VAPOR INTRUSION SCREENING LEVELS ( $\mu\text{g}/\text{m}^3$ ) <sup>1, 2, 3</sup>			
	Sub-Slab Residential	Sub-Slab Industrial/Commercial	Indoor Air Residential	Indoor Air Industrial/Commercial
<b>Benzene</b>	370	2,800	NC <sup>4</sup>	NC
<b>Tetrachloroethylene</b>	550	4,000	NC	NC
<b>Trichloroethylene</b>	1,500	120,000	NC	NC
<b>Vinyl Chloride</b>	290	4,800	NC	NC

Notes:

1. Illinois Environmental Protection Agency (EPA) vapor intrusion screening levels are noted in the table and can be found [here](#) (Appendix B, Table H). The term "Vapor Intrusion Screening Levels" or "VISLs" is used as a generic term for regulatory standards.
2. The United States Environmental Protection Agency's (US EPA) Vapor Intrusion Screening Levels (VISLs) link is included [here](#) for reference.
3. Site-specific evaluation or mitigation is required if the VISLs are exceeded. More information on Illinois EPA vapor intrusion guidelines can be found [here](#).
4. NC = No Criterion

Please see limitations of this document at [www.dragun.com](http://www.dragun.com).  
Last Updated: March 20, 2019.