

# Texas

	VAPOR INTRUSION SCREENING LEVELS ( $\mu\text{g}/\text{m}^3$ ) <sup>1, 2, 3</sup>			
	Sub-Slab Residential	Sub-Slab Industrial/Commercial	Indoor Air Residential	Indoor Air Industrial/Commercial
<b>Benzene</b>	NC <sup>4</sup>	NC	11	19
<b>Tetrachloroethylene</b>	NC	NC	64	110
<b>Trichloroethylene</b>	NC	NC	5.9	10
<b>Vinyl Chloride</b>	NC	NC	2.9	4.9

## Notes:

1. Texas Commission on Environmental Quality (TCEQ) available vapor intrusion screening levels are noted in the table and can be found [here](#). The term “Vapor Intrusion Screening Levels” or “VISLs” is used as a generic term for regulatory standards.
2. The United States Environmental Protection Agency’s (US EPA) Vapor Intrusion Screening Levels (VISLs) link is included [here](#) for reference.
3. Site-specific evaluation or mitigation is required if the VISLs are exceeded. More information on vapor intrusion guidance can be found [here](#).
4. NC = No Criterion

Please see limitations of this document at [www.dragun.com](http://www.dragun.com).  
Last Updated: March 20, 2019.